



7 Axis Wire Bending Machine 2 - 8mm For Automobile Parts

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JX3D2-8
- Minimum Order Quantity: 1 set
- Price: consult
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Product Name: 3D Wire Bending Machine
- Machine Type: 3D
- Control System: PLC+servo
- Applicable Industries: Hardware, wire Processing
- Warranty Of Core Components: 1 Year
- Wire Size: $\phi 2-6\text{mm}$
- No. Of Axis: 7 Axis
- Highlight: 3D Wire Bending Machine
- Automation: Automatic
- Port: Shenzhen
- Highlight: **7 Axis Iron Wire Bending Machine, Wire Bending Machine Automobile Parts**



Product Description

3D Wire Bending Machine 2-8MM Wire forming machine

Performance characteristics

1. The computer starts and shuts down quickly, and the operation is simple and convenient. The computer interface can change the program while adjusting speed while producing.
2. High brand high-speed motor and reducer are used in configuration, and the production speed is more than 25% higher than that of similar products in domestic peers.
3. The production can realize that the angle does not change at the slowest angle, and the production stability is better.
4. Bearings, gears and other important parts are imported brand accessories, with a 365 day warranty, and the equipment is durable and reliable.
5. With high precision, it can be used for wire rod forming products in the range of 2.0-10 mm wire diameter, and the error is reduced to 0.1 mm
6. The matching use of steel wire butt joint machine makes the wire change operation of the machine more convenient.



Applicable industry:

Automobile and bicycle parts
Kitchen daily hardware accessories
Supermarket storage shelf accessories
Garden tool accessories
Fitness equipment accessories
Lighting fittings

Fan mesh cover accessories

Furniture hardware accessories

Other wire forming accessories

Technical Parameters

| Model | JX3D-6 | JX3D-8 | JX3D-10 |
|--------------------------------|--|--|--|
| No. of axis | 380V,7 axis | 380V,7 axis | 380V,7 axis |
| Machining wire diameter(MM) | Hard material $\Phi 2.0$ $\Phi 4.0$ Soft material $\Phi 2.0$ $\Phi 6.0$ | Hard material $\Phi 3.0$ $\Phi 6.0$ Soft material $\Phi 3.0$ $\Phi 8.0$ | Hard material $\Phi 3.0$ $\Phi 8.0$ Soft material $\Phi 3.0$ $\Phi 10.0$ |
| Number of wire feeding wheels | 3 groups | 3 groups | 3 groups |
| Spool servo motor (KW) | 2 | 2.7 | 4.5 |
| Head shaft servo motor (KW) | 2 | 2.7 | 4.5 |
| Cutter shaft servo motor(KW) | 1 | 1 | 2 |
| Lifting shaft servo motor (KW) | 1 | 1 | 2 |
| Angle axis servo motor (KW) | 1 | 1 | 1 |
| Machine size (MM) | 3800X1860X1660 | 3800X1860X1660 | 3800X1860X1660 |

3D bending product display





Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China